

# ControlMaster CM15

## Universal process indicator 1/8 DIN

### Custom configuration sheet

## 1 Device Setup Level

### Application Template

**Note.** Please select the template required Based on the build of the instrument, i.e. If the build of the instrument is Extended Functionality, the templates available to select are those displayed under Base and Dual. Only 1 template can be selected per instrument.

#### Base (✓ the box required)

Single PV indication	
Single PV with Totalizer	
Single Totalizer	
Single Level with Volume	

#### Dual (✓ the box required)

Dual PV indication	
Dual PV with totalizer	
Dual Totalizer	
Dual Level with Volume	

Instrument Tag:	
-----------------	--

#### Mains Frequency (✓ the box required)

50 Hz	
60 Hz	

### Level Indicator Only

#### Level 1 (✓ the box required)

Specific gravity	
Volume Constant	
Volume Units	
Decimal Places (0, 1, 2, 3 or 4)	

#### Level 2 (✓ the box required)

Specific gravity	
Volume Constant	
Volume Units	
Decimal Places (0, 1, 2, 3 or 4)	

## 2 Display

### Operator Page 1 (✓ the box required)

PV1	
PV1 & Totalizer 1	
Totalizer 1	
PV1 & Statistics 1	
PV1 & Volume 1	
Volume 1	
PV2	
PV1 & PV2	
PV2 & Statistics 1	
PV2 & Totalizer 1	
Totalizer 2	
PV1, Totalizer 1, PV2 & Totalizer 2	
Totalizer 1 & Totalizer 2	
PV2 & Volume 2	
PV1, Volume 1, PV2 & Volume 2	
Volume 1 & Volume 2	

### Operator Page 3 (✓ the box required)

PV1	
PV1 & Totalizer 1	
Totalizer 1	
PV1 & Statistics 1	
PV1 & Volume 1	
Volume 1	
PV2	
PV1 & PV2	
PV2 & Statistics 1	
PV2 & Totalizer 1	
Totalizer 2	
PV1, Totalizer 1, PV2 & Totalizer 2	
Totalizer 1 & Totalizer 2	
PV2 & Volume 2	
PV1, Volume 1, PV2 & Volume 2	
Volume 1 & Volume 2	

### Operator Page 2 (✓ the box required)

PV1	
PV1 & Totalizer 1	
Totalizer 1	
PV1 & Statistics 1	
PV1 & Volume 1	
Volume 1	
PV2	
PV1 & PV2	
PV2 & Statistics 1	
PV2 & Totalizer 1	
Totalizer 2	
PV1, Totalizer 1, PV2 & Totalizer 2	
Totalizer 1 & Totalizer 2	
PV2 & Volume 2	
PV1, Volume 1, PV2 & Volume 2	
Volume 1 & Volume 2	

### Operator Page 4 (✓ the box required)

PV1	
PV1 & Totalizer 1	
Totalizer 1	
PV1 & Statistics 1	
PV1 & Volume 1	
Volume 1	
PV2	
PV1 & PV2	
PV2 & Statistics 1	
PV2 & Totalizer 1	
Totalizer 2	
PV1, Totalizer 1, PV2 & Totalizer 2	
Totalizer 1 & Totalizer 2	
PV2 & Volume 2	
PV1, Volume 1, PV2 & Volume 2	
Volume 1 & Volume 2	

**Softkey Function** (✓ the box required)

Configuration	
Scroll View	
Alarm Ack	
Toggle Signal	
Edge Signal	

**Alarm Ack Enable** (✓ the box required)

Enable	
Disable	

**Totalizer Stop/Go** (✓ the box required)

Enable	
Disable	

**Totalizer Reset** (✓ the box required)

Enable	
Disable	

**Statistics Reset** (✓ the box required)

Enable	
Disable	

## 3 Input/Output

### Analog Input 1 – Type (✓ the box required)

Off	
Millivolts	
Milliamps	
Volts	
Ohms	
Thermocouple	
RTD	
Volt Free Digital Input	
24 V Digital Input	
Frequency Input	
Pulse Input	

Electrical Low	
Electrical High	

### Linearizer (✓ the box required)

None	
Type B	
Type E	
Type J	
Type K	
Type L	
Type R	
Type S	
Type T	
PT100	
Square Root	
Root 3/2	
Root 5/2	

Engineering Units*	
--------------------	--

\* See “Analog Input Engineering Units” on page 25.

### Decimal Places

0	
1	
2	
3	
4	

Electrical Low	
Electrical High	

### Broken Sensor Direction (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

Filter Time	
-------------	--

Fault Detect Level	
--------------------	--

### Analog Input 2– Type (✓ the box required)

Off	
Millivolts	
Milliamps	
Volts	
Thermocouple	
Volt Free Digital Input	
24 V Digital Input	

Electrical Low	
Electrical High	

**Linearizer** (✓ the box required)

None	
Type B	
Type E	
Type J	
Type K	
Type L	
Type R	
Type S	
Type T	
Square Root	
Root 3/2	
Root 5/2	

Engineering Units*	
--------------------	--

\* See "Analog Input Engineering Units" on page 25.

**Decimal Places**

0	
1	
2	
3	
4	

Electrical Low	
Electrical High	

**Broken Sensor Direction** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

Filter Time	
-------------	--

Fault Detect Level	
--------------------	--

**Analog Output 1 – Type** (✓ the box required)

Analog	
Digital	

Source*	
---------	--

\* See "Analog Sources" on page 24.

Electrical Low*	
Electrical High*	

\*Analog Output only

**Auto Engineering Range\*** (✓ the box required)

On	
Off	

Engineering Low*	
Engineering High*	

\*Analog Output only

**Polarity\*\*** (✓ the box required)

Positive	
Negative	

\*\*Digital Output only

**Analog Output 2 – Type** (✓ the box required)

Analog	
Digital	

Source*	
---------	--

\* See "Analog Sources" on page 24.

Electrical Low*	
Electrical High*	

\*Analog Output only

**Auto Engineering Range\*** (✓ the box required)

On	
Off	

\*Analog Output only

Engineering Low*	
Engineering High*	

\*Analog Output only

**Polarity\*\*** (✓ the box required)

Positive	
Negative	

\*\*Digital Output only

**Digital I/O 1 – Type** (✓ the box required)

Off	
Output	
Volt Free Digital Input	
24 V Input	
TTL	

Digital Output Source**	
-------------------------	--

\*\* See “Digital Sources” on page 23.

**Polarity** (✓ the box required)

Positive	
Negative	

**Digital I/O 2 – Type** (✓ the box required)

Off	
Output	
Volt Free Digital Input	
24 V Input	
TTL	

Digital Output Source**	
-------------------------	--

\*\* See “Digital Sources” on page 23.

**Polarity** (✓ the box required)

Positive	
Negative	

## 4 Process Alarms

### Alarm 1 – Type (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

### Alarm 2 – Type (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

### Alarm 3 – Type (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

### Alarm 4 – Type (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

**Alarm 5 – Type** (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

**Alarm 6 – Type** (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

**Alarm 7 – Type** (4 the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	

**Alarm 8 – Type** (✓ the box required)

High Process	
Low Process	
High Latch	
Low Latch	

Tag:	
------	--

Source*	
---------	--

\* See “Analog Sources” on page 24.

Trip	
------	--

Hysteresis	
Time Hysteresis	



## 5 Totalizer Configuration

### Totalizer 1 – Mode (✓ the box required)

Off	
Analog	
Digital	
Frequency	
Pulse	

Source**	
----------	--

\*\* Set source from “Digital Sources” on page 23 and “Analog Sources” on page 24.

### Count Direction (✓ the box required)

Up	
Down	

Units	
-------	--

Count Rate	
Cut off	
Stop/Go Source	
Decimal Places (0, 1, 2, 3 or 4)	
Wrap (On or Off)	
Reset Source	

### Totalizer 2 – Mode (✓ the box required)

Off	
Analog	
Digital	
Frequency	
Pulse	

Source**	
----------	--

\*\* Set source from “Digital Sources” on page 23 and “Analog Sources” on page 24.

### Count Direction (✓ the box required)

Up	
Down	

Units	
-------	--

Count Rate (if known)	
Cut off	
Stop/Go Source	
Decimal Places (0, 1, 2, 3 or 4)	
Wrap (On or Off)	
Reset Source	

## 6 Functions

### Logic Equations

#### Logic Equation 1 (x if not inverted\*)

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

#### Logic Equation 3 (x if not inverted\*)

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

#### Logic Equation 2 (x if not inverted\*)

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

#### Logic Equation 4 (x if not inverted\*)

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

**Logic Equation 5 (x if not inverted\*)**

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

**Logic Equation 7 (x if not inverted\*)**

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

**Logic Equation 6 (x if not inverted\*)**

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

**Logic Equation 8 (x if not inverted\*)**

Operand 1		Invert*
Operator 1		
Operand 2		Invert*
Operator 2		
Operand 3		Invert*
Operator 3		
Operand 4		Invert*
Operator 4		
Operand 5		Invert*
Operator 5		
Operand 6		Invert*
Operator 6		
Operand 7		Invert*
Operator 7		
Operand 8		Invert*

**Math Blocks**

Math Block 1

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

**...Math Blocks (continued)**

Math Block 2

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

**...Math Blocks (continued)**

## Math Block 3

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

**...Math Blocks (continued)**

Math Block 4

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

**...Math Blocks (continued)**

Math Block 5

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--



**...Math Blocks (continued)**

Math Block 6

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

## ...Math Blocks (continued)

## Math Block 7

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

**...Math Blocks (continued)**

Math Block 8

**Math Block Type** (✓ the box required)

Equation	
Real Time Average	
Max Hold	
Min Hold	
Multiplexer	
Square Root	

**For all Math Block Types**

Eng. Decimal Places	
Engineering Low	
Engineering High	
Engineering Units	

**Fault Action** (✓ the box required)

None	
Automatic	
Upscale	
Downscale	

**Equation Type Setup**

Operand 1	
Operator 1	
Operand 2	
Operator 2	
Operand 3	
Operator 3	
Operand 4	

**Selectable Operators**

End	Subtract	Divide	High Select
Add	Multiply	Low Select	Median

**Real Time Average Setup**

Operand 1	
Reset Source	
Average Duration	

**Max/Min Hold Setup**

Operand 1	
Reset Source	

**Multiplexer Setup**

Operand 1 (A)	
Operand 1 Constant	
Operand 2 (B)	
Operand 2 Constant	
Mux Selector Source	

**Square Root Setup**

Operand 1	
-----------	--

**Custom Linearizer**

Custom Linearizer 1

Source	
--------	--

**Break Points**

(If % known please complete if not completed by factory)

Number	Eng. Range	%	Elect. Range	%
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

Custom Linearizer 2

Source	
--------	--

**Break Points**

(If % known please complete if not completed by factory)

Number	Eng. Range	%	Elect. Range	%
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

**Delay Timers**

**Delay Timer 1**

Source	
Delay Time	
On Time	

**Delay Timer 2**

Source	
Delay Time	
On Time	

**Real Time Alarms**

**Real Time Alarm 1**

Monday (✓)	
Tuesday (✓)	
Wednesday (✓)	
Thursday (✓)	
Friday (✓)	
Saturday (✓)	
Sunday (✓)	
Month Enable	
Every Hour	
On Hour	
On Minute	
Duration	
Display Enable	
Tag	

**Real Time Alarm 2**

Monday (✓)	
Tuesday (✓)	
Wednesday (✓)	
Thursday (✓)	
Friday (✓)	
Saturday (✓)	
Sunday (✓)	
Month Enable	
Every Hour	
On Hour	
On Minute	
Duration	
Display Enable	
Tag	

## 7 Communications

### RS485

**Mode** (✓ the box required)

Off	
2-Wire	
4-Wire	
Baud Rate	
Parity	
Tx Delay	

### Ethernet

**DHCP Implementation** (✓ the box required)

On	
Off	

IP Address	
Subnet Mask	
Default Gateway	

### Email

SMTP Server	
Email 1	
Email 2	
Email 3	

Tag 1		
Trigger 1		Invert
Tag 2		
Trigger 2		Invert
Tag 3		
Trigger 3		Invert
Tag 4		
Trigger 4		Invert

### Modbus TCP

**Implementation**

Off	
Server	

**Connections** (✓ the box required)

1	
2	
3	

**Client Authority**

Unrestricted	
Authorised 1	
Authorised 2	
Authorised 3	

## 8 Digital Sources

Source Name	Description [Comment]
Alarm 1 (8) Ack. State	Acknowledged alarm = 0 Unacknowledged alarm = 1
Alarm 1 (8) State	Alarm state
Anlg IP 1 (4) Fail	Analog Input Failure (active when the signal detected at the analog input is outside the fault detect level specified during configuration).
AO1 (2) Loop Break	Analog output
Delay Timer 1 (2)	Delay timer state
IP 1 (4) Digital State	Input 1 (4) digital state
Linearizer 1 (2) Fail	Custom linearizer failure
Logic Equation 1 (8)	Logic equation result
Loop 1 SP Mode	Setpoint mode selected 0 = Local, 1 = Remote
Loop 1 Auto Mode	Automatic control mode
Loop 1 Close Relay	Motorized valve close relay state
Loop 1 LSP 1 (4) State	Local setpoint state 1 = setpoint selected
Loop 1 Manual Mode	Manual control mode 1 = Manual

Source Name	Description [Comment]
Loop 1 Open Relay	Motorized valve open relay state
Loop 1 TP OP1	Time proportioning output
Loop 1 Valve State	Motorized valve state
Loop 1 Valve Stuck	Motorized valve stuck state
Loop 1 Ctrl Track	Control track state
Math Block 1 (8) Fail	Maths failure
RTA 1 (2) State	Real time alarm state
Softkey Toggle	Front panel soft key toggles the source's state
Softkey Edge	Front panel soft key sets the source active on key press
T1 (2) Int Pulse	Totalizer intermediate pulse – active for 1 second when the intermediate count is reached
T1 (2) Run State	Totalizer run state 1 = Totalizer running
T1 (2) Wrap Pulse	Totalizer wrap pulse If <i>Wrap Enable</i> is <i>On</i> – active for 1 second when the predetermined count is reached <i>Off</i> – active when the predetermined count has been reached and remains active until the totalizer is reset

## 9 Analog Sources

Source Name	Description
Anlg IP 1 (4)	Analog input
Constant 1 (8)	Math block constant
Linearizer 1 (2)	Custom linearizer
Loop 1 Actual Ratio	Loop 1 (2) actual ratio. Applies to ratio application templates only
Loop 1 Control OP	Control output value
Loop 1 Deviation	Loop 1 (2) deviation
Loop 1 Feedforward	Loop 1 (2) output of feedforward block
Loop 1 LSP	Local setpoint loop
Loop 1 PV	Loop 1 (2) process variable
Loop 1 Ration	Loop 1 (2) desired ratio Loop
Loop 1 SP	Loop control setpoint
Loop 1 Split OP1	Loop 1 split output
Loop 1 Valve Pos	Motorized valve position
Loop Bias 1	Loop 1 desired bias
Math Block 1 (8)	Math block
PV1 (2) Average	Process variable average
PV1 (2) Max	Maximum value of process variable 1 (2)
PV1 (2) Min	Minimum value of process variable 1 (2)
T1 (2) Batch Total	Totalizer batch total
T1 (2) Secure Total	Totalizer secure total
User Value 1 (2)	(Profile only)
Volume 1 (2)	(Indicator only)



## 10 Analog Input Engineering Units

Unit	Description
%	%
% sat	% saturation
%dO2	% dissolved oxygen
%HCl	% hydrochloric acid
%N2	% nitrogen
%O2	% oxygen
%OBS	% obscuration
%RH	% relative humidity
A	amps
bar	bar
CUMEC	cubic metre per second
deg C / F	degrees Celsius / Fahrenheit
Feet	imperial feet
ft <sup>3</sup> /d, ft <sup>3</sup> /h, ft <sup>3</sup> /m, ft <sup>3</sup> /s	cubic feet per day, hour, minute, second.
FTU	formazine turbidity units
g/d, g/h, g/l	grams per day, hour, liter
gal/d (UK)	imperial gallons per day
gal/d (US)	US gallons per day
gal/h (UK) / (US)	imperial / US gallons per hour
gal/m, s (UK) / (US)	imperial / US gallons per minute, second.
Hz	hertz
Inches	imperial inches
Kelvin	degrees Kelvin
kg/d, kg/h, kg/m	kilograms per day, hr., min.
kg/s	kilograms per sec.
kHz	kilohertz
l/d, l/h, l/m, l/s	liters per day, hour, min., sec.
lb/d, lb/h, lb/m, lb/s	pounds per day, hour, minute, second.

Unit	Description
m WG	meters water gauge
m <sup>3</sup> /d, m <sup>3</sup> /h, m <sup>3</sup> /m, m <sup>3</sup> /s	cubic meters per day, hour, minute, second..
mbar	millibar
mg/kg	milligrams per kilogram
Mgal/d (UK)	imperial mega gallons per day
Mgal/d (US)	US mega gallons per day
mho	conductance
MI/d, MI/h	megaliters per day, hour.
ml/h, ml/m	millilitres per hour, minute.
MI/s	megaliters per second
mS/cm, mS/m	milliSiemens per centimeter, meter
mV	millivolts
MV	megavolts
NTU	nephelometric turbidity units
pb	parts per billion
pH	potential Hydrogen
pm	parts per million
psi	pounds per square inch
S	Siemens
SCFM	standard cubic feet per minute
T/d, T/h, T/m	metric tonnes per day, hour, minute.
T/s	metric tonnes per second
ton/d, ton/h, ton/m, ton/s	imperial tons per day, hour, minute, second.
ug/kg	micrograms per kilogram
uS/cm, uS/m	microSiemens per centimeter / meter
uV	microvolts

# 11 Notes



# Contact us

## **ABB Limited**

### **Process Automation**

Howard Road  
St. Neots  
Cambridgeshire PE19 8EU  
UK  
Tel:+44 (0)1480 475321  
Fax:+44 (0)1480 217948

## **ABB Inc.**

### **Process Automation**

125 E. County Line Road  
Warminster  
PA 18974  
USA  
Tel:+1 215 674 6000  
Fax:+1 215 674 7183

**[www.abb.com](http://www.abb.com)**

## Note

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents in whole or in parts – is forbidden without prior written consent of ABB.

Copyright© 2012 ABB

All rights reserved